APPROVED JURISDICTIONAL DETERMINATION FORM U.S. Army Corps of Engineers

This form should be completed by following the instructions provided in Section IV of the JD Form Instructional Guidebook.

SECTION I: BACKGROUND INFORMAT

A. F	REPORT COMPLETION DATE FOR	APPROVED JURISDICTIONAL DETERMINATION (,	JD)	: June 15	. 2022
------	----------------------------	--	-----	-----------	--------

В.	DISTRICT OFFICE, FILE NAME, AND NUMBER: NWP-2016-165/1 - Pacific Habitat Services, 17th Street, Bandon AJD
C.	PROJECT LOCATION AND BACKGROUND INFORMATION: State: Oregon County/parish/borough: Coos City: Bandon Center coordinates of site (lat/long in degree decimal format): Lat. 43.10897° N, Long. 124.414431° W. Universal Transverse Mercator: Name of nearest waterbody: East Fork Gross Creek Name of nearest Traditional Navigable Water (TNW) into which the aquatic resource flows: Coquille River Name of watershed or Hydrologic Unit Code (HUC): Ferry Creek-Coquille River (171003060500) Check if map/diagram of review area and/or potential jurisdictional areas is/are available upon request. Check if other sites (e.g., offsite mitigation sites, disposal sites, etc) are associated with this action and are recorded on a different JD form.
D.	REVIEW PERFORMED FOR SITE EVALUATION (CHECK ALL THAT APPLY): ☐ Office (Desk) Determination. Date: May 11, 2022. ☐ Field Determination. Date(s):
	CTION II: SUMMARY OF FINDINGS RHA SECTION 10 DETERMINATION OF JURISDICTION.
	re Are no "navigable waters of the U.S." within Rivers and Harbors Act (RHA) jurisdiction (as defined by 33 CFR part 329) in the lew area. [Required] Waters subject to the ebb and flow of the tide. Waters are presently used, or have been used in the past, or may be susceptible for use to transport interstate or foreign commerce. Explain:
В.	CWA SECTION 404 DETERMINATION OF JURISDICTION.
The	are are and are not "waters of the U.S." within Clean Water Act (CWA) jurisdiction (as defined by 33 CFR part 328) in the review area. [Required]
	1. Waters of the U.S. a. Indicate presence of waters of U.S. in review area (check all that apply): TNWs, including territorial seas Wetlands adjacent to TNWs Relatively permanent waters² (RPWs) that flow directly or indirectly into TNWs: East Fork Gross Creek Non-RPWs that flow directly or indirectly into TNWs Wetlands directly abutting RPWs that flow directly or indirectly into TNWs: Wetland B and Wetland D Wetlands adjacent to but not directly abutting RPWs that flow directly or indirectly into TNWs Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs Impoundments of jurisdictional waters Isolated (interstate or intrastate) waters, including isolated wetlands
	b. Identify (estimate) size of waters of the U.S. in the review area: Non-wetland waters: linear feet: width (ft) and/or 0.026 acres.

c. Limits (boundaries) of jurisdiction based on: 1987 Delineation Manual

Elevation of established OHWM (if known):

Wetlands: Wetland B: 0.13 acre; Wetland D: 0.26 acres.

2. Non-regulated waters/wetlands (check if applicable):³

Potentially jurisdictional waters and/or wetlands were assessed within the review area and determined to be not jurisdictional. Explain: Wetland A, see Section III F for additional information.

¹ Boxes checked below shall be supported by completing the appropriate sections in Section III below.

² For purposes of this form, an RPW is defined as a tributary that is not a TNW and that typically flows year-round or has continuous flow at least "seasonally" (e.g., typically 3 months).

³ Supporting documentation is presented in Section III.F.

SECTION III: CWA ANALYSIS

A. TNWs AND WETLANDS ADJACENT TO TNWs

The agencies will assert jurisdiction over TNWs and wetlands adjacent to TNWs. If the aquatic resource is a TNW, complete Section III.A.1 and Section III.D.1. only; if the aquatic resource is a wetland adjacent to a TNW, complete Sections III.A.1 and 2 and Section III.D.1.; otherwise, see Section III.B below.

ı.	INW	
	Identify TNW:	

Summarize rationale supporting determination:

2. Wetland adjacent to TNW

Summarize rationale supporting conclusion that wetland is "adjacent":

B. CHARACTERISTICS OF TRIBUTARY (THAT IS NOT A TNW) AND ITS ADJACENT WETLANDS (IF ANY):

This section summarizes information regarding characteristics of the tributary and its adjacent wetlands, if any, and it helps determine whether or not the standards for jurisdiction established under *Rapanos* have been met.

The agencies will assert jurisdiction over non-navigable tributaries of TNWs where the tributaries are "relatively permanent waters" (RPWs), i.e. tributaries that typically flow year-round or have continuous flow at least seasonally (e.g., typically 3 months). A wetland that directly abuts an RPW is also jurisdictional. If the aquatic resource is not a TNW, but has year-round (perennial) flow, skip to Section III.D.2. If the aquatic resource is a wetland directly abutting a tributary with perennial flow, skip to Section III.D.4.

A wetland that is adjacent to but that does not directly abut an RPW requires a significant nexus evaluation. Corps districts and EPA regions will include in the record any available information that documents the existence of a significant nexus between a relatively permanent tributary that is not perennial (and its adjacent wetlands if any) and a traditional navigable water, even though a significant nexus finding is not required as a matter of law.

If the waterbody⁴ is not an RPW, or a wetland directly abutting an RPW, a JD will require additional data to determine if the waterbody has a significant nexus with a TNW. If the tributary has adjacent wetlands, the significant nexus evaluation must consider the tributary in combination with all of its adjacent wetlands. This significant nexus evaluation that combines, for analytical purposes, the tributary and all of its adjacent wetlands is used whether the review area identified in the JD request is the tributary, or its adjacent wetlands, or both. If the JD covers a tributary with adjacent wetlands, complete Section III.B.1 for the tributary, Section III.B.2 for any onsite wetlands, and Section III.B.3 for all wetlands adjacent to that tributary, both onsite and offsite. The determination whether a significant nexus exists is determined in Section III.C below.

1. Characteristics of non-TNWs that flow directly or indirectly into TNW

(i) General Area Conditions:

Watershed size: 18,500 acres
Drainage area: 18,500 acres
Average annual rainfall: 61.5 inches
Average annual snowfall: 0.1 inches

(ii) Physical Characteristics:

(a) Relationship with TNW:

Tributary flows directly into TNW.

Tributary flows through 1 tributaries before entering TNW.

Project waters are 1 (or less) river miles from TNW.

Project waters are **1** (or less) river miles from RPW.

Project waters are 1 (or less) aerial (straight) miles from TNW.

Project waters are 1 (or less) aerial (straight) miles from RPW.

Project waters cross or serve as state boundaries. Explain:

Identify flow route to TNW⁵: East Fork Gross Creek is located along the western edge of the Review Area. Surface water within East Fork Gross Creek flows northwest into a 48-inch diameter concrete pipe culvert located partially within the

⁴ Note that the Instructional Guidebook contains additional information regarding swales, ditches, washes, and erosional features generally and in the arid West.

⁵ Flow route can be described by identifying, e.g., tributary a, which flows through the review area, to flow into tributary b, which then flows into TNW.

Review Area. Surface water flow within East Fork Gross Creek flows under U.S. Highway 101 west of the Review Area. East Fork Gross Creek reappears as an open surface water tributary feature west of U.S. Highway 101, and north of 13 Street SW; East Fork Gross Creek maintains a hydrologic surface connection with Gross Creek approximately 0.24 miles northwest and outside of the Review Area. Surface water flow in Gross Creek extends approximately 0.60 miles from the confluence of East Fork and West Fork Gross Creek to the Coquille River. Gross Creek maintains a hydrologic surface water connection with the Coquille River at approximate river mile 0.5. The Coquille River is recognized by the Corps, Portland District, as a navigable water to river mile 36.3 pursuant to the Corps 1993 list of Navigable Riverways within the State of Oregon.

Tributary stream order, if known: 2.

activity over t	General Tributary Characteristics (check all that apply): Tributary is: Natural Artificial (man-made). Explain: . Manipulated (man-altered). Explain: The East Fork of Gross Creek has been modified by human ime, via placement of the creek within a culvert and potential channel relocation. These land development activites have the natural evolution and position of the stream channel on the landscape.
	Tributary properties with respect to top of bank (estimate): Average width: 4 feet Average depth: 2 feet Average side slopes: 3:1.
	Primary tributary substrate composition (check all that apply): Silts Sands Concrete Cobbles Gravel Muck Bedrock Vegetation. Type/% cover: 75%+. Other. Explain: .
	Tributary condition/stability [e.g., highly eroding, sloughing banks]. Explain: Confined; vegetated riparian area. Presence of run/riffle/pool complexes. Explain: No. Tributary geometry: Relatively straight Tributary gradient (approximate average slope): 1 %
(c)	Flow: Tributary provides for: Intermittent but not seasonal flow Estimate average number of flow events in review area/year: 20 (or greater). Describe flow regime: Intermittent. Other information on duration and volume: Per U.S. Geologic Survey (USGS) Stream Stats monthly surface water flow than 1 cubic foot per second of flow is present within the creek 9 out of 12 months during the calendar year.
the western si	Surface flow is: Confined. Characteristics: East Fork Gross Creek is confined within it's current channel located along de of the Review Area.
Gross Creek.	Subsurface flow: No. Explain findings: There is no information demonstrating subsurface flow within the East Fork of Dye (or other) test performed: Tributary has (check all that apply): Bed and banks OHWM ⁶ (check all indicators that apply): clear, natural line impressed on the bank changes in the character of soil shelving vegetation matted down, bent, or absent leaf litter disturbed or washed away sediment deposition multiple observed or predicted flow events
	Sediment deposition
	In factors other than the Offwin were used to determine fateral extent of C w A jurisdiction (check all that apply).

⁷Ibid.

⁶A natural or man-made discontinuity in the OHWM does not necessarily sever jurisdiction (e.g., where the stream temporarily flows underground, or where the OHWM has been removed by development or agricultural practices). Where there is a break in the OHWM that is unrelated to the waterbody's flow regime (e.g., flow over a rock outcrop or through a culvert), the agencies will look for indicators of flow above and below the break.

	High Tide Line indicated by: oil or scum line along shore objects fine shell or debris deposits (foreshore) physical markings/characteristics tidal gauges other (list): Mean High Water Mark indicated by: survey to available datum; physical markings; vegetation lines/changes in vegetation types.
Cha	emical Characteristics: aracterize tributary (e.g., water color is clear, discolored, oily film; water quality; general watershed characteristics, etc.). Explain: East Fork Gross Creek within the Review Area is a headwater reach. Water color is turbid when fall, winter and spring freshets occur. ntify specific pollutants, if known: Stormwater runoff from surrounding developed properties.
	logical Characteristics. Channel supports (check all that apply): Riparian corridor. Characteristics (type, average width): fringe. Characteristics: Well vegetated. Canopy cover is densely covered with Hooker's willow (Salix hookeriana) and ackberry (Rubus americanus) and a few specimens of Cascara buckthorn (Rhamnus purshiana). The herb stratum d canary grass (Phalaris arundiacea), Slough sedge (Carex obnupta), Ostrich fern (Matteuccia struthiopteris), and Western (Lysichiton americanum). Non-native grasses and forbs also exist. Federally Listed species. Explain findings: None. Fish/spawn areas. Explain findings: None. Other environmentally-sensitive species. Explain findings: None. Aquatic/wildlife diversity. Explain findings: Headwater stream reach; provides habitat for amphibians and may three-spined stickleback (Gasterosteus aculeatus).
2. Charac	teristics of wetlands adjacent to non-TNW that flow directly or indirectly into TNW
and Himalaya possesses ree skunk cabage which abuts t which abuts t services such trapping and rodents, insec	Properties: Wetland size: 0.39 acres Wetland type. Explain: Well vegetated. Canopy cover is densely covered with Hooker's willow (<i>Salix hookeriana</i>) and blackberry (<i>Rubus americanus</i>) and a few specimens of Cascara buckthorn (<i>Rhamnus purshiana</i>). The herb stratum d canary grass (Phalaris arundiacea), Slough sedge (<i>Carex obnupta</i>), Ostrich fern (<i>Matteuccia struthiopteris</i>), and Westerr (<i>Lysichiton americanum</i>). Non-native grasses and forbs also exist. Wetland B is a palustrine scrub-shrub wetland (PSS) the East Fork of Gross Creek within the Review Area and is recognized as 0.13 acres in size. Wetland D is a PSS wetland the East Fork Gross Creek within the Review Area and is recognized as 0.26 acres in size. Wetland quality. Explain: Wetland B and D are both well vegetated and provide moderate wetland functions and as filtering pollutants found within overland sheet flow prior to the sheet flow reaching the East Fork of Gross Creek, storing minor amounts of surface water during rain events, and providing minor habitat for terrestrial species such as ets, and amphibians. Project wetlands cross or serve as state boundaries. Explain:
Review Area	General Flow Relationship with Non-TNW: Flow is: Intermittent flow. Explain: Based on a review of aerial imagery and the wetland delineation provided for the Wetland B and D provide intermittent surface water flow to the East Fork of Gross Creek. Aerial imagery depicts visible ation within the Review Area at the location of Wetland B and D.
Wetland B ar	Surface flow is: Discrete Characteristics: Based on a review of aerial imagery and the wetland delineation provided for the review area both d D convey surface water flow to the East Fork of Gross Creek seasonally.
	Subsurface flow: Unknown. Explain findings: Dye (or other) test performed:
(c)	Wetland Adjacency Determination with Non-TNW: ☐ Directly abutting ☐ Not directly abutting ☐ Discrete wetland hydrologic connection. Explain: ☐ Ecological connection. Explain: ☐ Separated by berm/barrier. Explain:
(d)	Proximity (Relationship) to TNW Project wetlands are 1 (or less) river miles from TNW. Project waters are 1 (or less) aerial (straight) miles from TNW. Flow is from: Wetland to navigable waters.

Estimate approximate location of wetland as within the 2-year or less floodplain.

(ii)	Chemical Characteristics:	•
\П,	Chemical Characteristics.	

Characterize wetland system (e.g., water color is clear, brown, oil film on surface; water quality; general watershed characteristics; etc.). Explain: Unknown.

Identify specific pollutants, if known:

(iii) Biological Characteristics. Wetland supports (check all that app	(iii)) Biological	Characteristics.	Wetland supports	(check all that appl
--	-------	--------------	------------------	------------------	----------------------

Riparian buffer. Characteristics (type, average width): Well vegetated canopy cover as described below; approxiamtly	10
feet in width.	
☑ Vegetation type/percent cover. Explain: Well vegetated. Canopy cover is densely covered with Hooker's willow (Salix)	
hookeriana) and Himalayan blackberry (Rubus americanus) and a few specimens of Cascara buckthorn (Rhamnus purshiana). The he	rb
stratum possesses reed canary grass (Phalaris arundiacea), Slough sedge (Carex obnupta), Ostrich fern (Matteuccia struthiopteris), and	d
Western skunk cabage (Lysichiton americanum). Non-native grasses and forbs also exist.	
☐ Habitat for:	
☐ Federally Listed species. Explain findings: .	
☐ Fish/spawn areas. Explain findings: .	
Other environmentally-sensitive species. Explain findings: .	
Aquatic/wildlife diversity. Explain findings: Headwater stream reach; provides habitat for amphibians and may	
provide habitat for three-spined stickleback (Gasterosteus aculeatus).	

3. Characteristics of all wetlands adjacent to the tributary (if any)

All wetland(s) being considered in the cumulative analysis:2

Approximately (0.39) acres in total are being considered in the cumulative analysis.

For each wetland, specify the following:

<u>Directly abuts? (Y/N)</u>	Size (in acres)	<u>Directly abuts? (Y/N)</u>	Size (in acres)
Wetland B - Y	0.13 acre	Wetland D - Y	0.26 acre

Summarize overall biological, chemical and physical functions being performed: Wetland B and D act as natural filters to filter pollutants found within overland sheet flow prior to the sheet flow reaching the East Fork of Gros Creek. Wetland B and D trap and store minor amounts of surface water flow and provide minor habitat for terrestrial species such as rodents, insects, and amphibians.

C. SIGNIFICANT NEXUS DETERMINATION

A significant nexus analysis will assess the flow characteristics and functions of the tributary itself and the functions performed by any wetlands adjacent to the tributary to determine if they significantly affect the chemical, physical, and biological integrity of a TNW. For each of the following situations, a significant nexus exists if the tributary, in combination with all of its adjacent wetlands, has more than a speculative or insubstantial effect on the chemical, physical and/or biological integrity of a TNW. Considerations when evaluating significant nexus include, but are not limited to the volume, duration, and frequency of the flow of water in the tributary and its proximity to a TNW, and the functions performed by the tributary and all its adjacent wetlands. It is not appropriate to determine significant nexus based solely on any specific threshold of distance (e.g. between a tributary and its adjacent wetland or between a tributary and the TNW). Similarly, the fact an adjacent wetland lies within or outside of a floodplain is not solely determinative of significant nexus.

Draw connections between the features documented and the effects on the TNW, as identified in the *Rapanos* Guidance and discussed in the Instructional Guidebook. Factors to consider include, for example:

- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to carry pollutants or flood waters to TNWs, or to reduce the amount of pollutants or flood waters reaching a TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), provide habitat and lifecycle support functions for fish and other species, such as feeding, nesting, spawning, or rearing young for species that are present in the TNW?
- Does the tributary, in combination with its adjacent wetlands (if any), have the capacity to transfer nutrients and organic carbon that support downstream foodwebs?
- Does the tributary, in combination with its adjacent wetlands (if any), have other relationships to the physical, chemical, or biological integrity of the TNW?

Note: the above list of considerations is not inclusive and other functions observed or known to occur should be documented below:

- 1. Significant nexus findings for non-RPW that has no adjacent wetlands and flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary itself, then go to Section III.D:
- 2. Significant nexus findings for non-RPW and its adjacent wetlands, where the non-RPW flows directly or indirectly into TNWs. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:
- 3. Significant nexus findings for wetlands adjacent to an RPW but that do not directly abut the RPW. Explain findings of presence or absence of significant nexus below, based on the tributary in combination with all of its adjacent wetlands, then go to Section III.D:

D.	DETERMINATIONS OF JURISDICTIONAL FINDINGS. THE SUBJECT WATERS/WETLANDS ARE (CHECK ALL
	THAT APPLY):

1.	TNWs and Adjacent Wetlands. Check all that apply and provide size estimates in review area: TNWs: linear feet width (ft), Or, acres. Wetlands adjacent to TNWs: acres.
2.	RPWs that flow directly or indirectly into TNWs. ☐ Tributaries of TNWs where tributaries typically flow year-round are jurisdictional. Provide data and rationale indicating that tributary is perennial: ☐ Tributaries of TNW where tributaries have continuous flow "seasonally" (e.g., typically three months each year) are jurisdictional. Data supporting this conclusion is provided at Section III.B. Provide rationale indicating that tributary flows seasonally: East Fork Gross Creek has an observed streambed, streambanks and ordinary high water mark. Per U.S. Geologic Survey Stream Stats monthly surface water flow reporting less than 1 cubic foot per second of flow is present within the creek 9 out of 12 months during the calendar year.
	Provide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: 1,160 linear feet 4 width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
3.	Non-RPWs ⁸ that flow directly or indirectly into TNWs. Waterbody that is not a TNW or an RPW, but flows directly or indirectly into a TNW, and it has a significant nexus with a TNW is jurisdictional. Data supporting this conclusion is provided at Section III.C.
	Provide estimates for jurisdictional waters within the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: .
4.	Wetlands directly abutting an RPW that flow directly or indirectly into TNWs. Wetlands directly abut RPW and thus are jurisdictional as adjacent wetlands. Wetlands directly abutting an RPW where tributaries typically flow year-round. Provide data and rationale indicating that tributary is perennial in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW:
	Wetlands directly abutting an RPW where tributaries typically flow "seasonally." Provide data indicating that tributary is seasonal in Section III.B and rationale in Section III.D.2, above. Provide rationale indicating that wetland is directly abutting an RPW: Both Wetland B and D abut East Fork Gross Creek within the Review Area. The wetlands are PSS in Cowardin classification and form the wetland fringe of the headwater reach of East Fork Gross Creek.
	Provide acreage estimates for jurisdictional wetlands in the review area: Wetland B: 0.13 acre; Wetland D: 0.26 acres.

Wetlands adjacent to but not directly abutting an RPW that flow directly or indirectly into TNWs.

⁸See Footnote # 3.

		Wetlands that do not directly abut an RPW, but when considered in combination with the tributary to which they are adjacen and with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisidictional. Data supporting this conclusion is provided at Section III.C.	t
		Provide acreage estimates for jurisdictional wetlands in the review area: acres.	
	6.	Wetlands adjacent to non-RPWs that flow directly or indirectly into TNWs. Wetlands adjacent to such waters, and have when considered in combination with the tributary to which they are adjacent an with similarly situated adjacent wetlands, have a significant nexus with a TNW are jurisdictional. Data supporting this conclusion is provided at Section III.C.	d
		Provide estimates for jurisdictional wetlands in the review area: acres.	
	7.	Impoundments of jurisdictional waters. ⁹ As a general rule, the impoundment of a jurisdictional tributary remains jurisdictional. Demonstrate that impoundment was created from "waters of the U.S.," or Demonstrate that water meets the criteria for one of the categories presented above (1-6), or Demonstrate that water is isolated with a nexus to commerce (see E below).	
		Demonstrate that water is isolated with a nexus to commerce (see E below).	
Е.	DE SU	OLATED [INTERSTATE OR INTRA-STATE] WATERS, INCLUDING ISOLATED WETLANDS, THE USE, EGRADATION OR DESTRUCTION OF WHICH COULD AFFECT INTERSTATE COMMERCE, INCLUDING ANY JCH WATERS (CHECK ALL THAT APPLY): 10 which are or could be used by interstate or foreign travelers for recreational or other purposes.	
		from which fish or shellfish are or could be taken and sold in interstate or foreign commerce. which are or could be used for industrial purposes by industries in interstate commerce.	
		Interstate isolated waters. Explain: Other factors. Explain:	
	Ide	entify water body and summarize rationale supporting determination:	
		ovide estimates for jurisdictional waters in the review area (check all that apply): Tributary waters: linear feet width (ft). Other non-wetland waters: acres. Identify type(s) of waters: Wetlands: acres.	
F.		ON-JURISDICTIONAL WATERS, INCLUDING WETLANDS (CHECK ALL THAT APPLY): If potential wetlands were assessed within the review area, these areas did not meet the criteria in the 1987 Corps of Engineers Wetland Delineation Manual and/or appropriate Regional Supplements. Review area included isolated waters with no substantial nexus to interstate (or foreign) commerce. Prior to the Jan 2001 Supreme Court decision in "SWANCC," the review area would have been regulated based solely on the "Migratory Bird Rule" (MBR). Waters do not meet the "Significant Nexus" standard, where such a finding is required for jurisdiction. Explain:	:
from Gro Wet Rev 75% the	ound on pre ss Cr land iew A o of t Revie	Other: (explain, if not covered above): Wetland A is 0.21-acre and is a north-south oriented PSS depressional wetland in the northeast portion of the Review Area. Wetland A is located approximately 300 feet east of East Fork Gross Creek. Wetland A ded to the north by 15th Street SE and bounded to the south by 16th Street SE. Surface water hydrology within Wetland A is receive ecipitation, groundwater, and overland sheet flow. There was no evidence of surface water outflows from Wetland A to East Fork Creek. East Fork Creek does not inundate Wetland A during high water events. The Corps did not identify information demonstrating A possess a shallow-subsurface hydrologic surface water connection to the East Fork of Gross Creek. The soil type within the Area is Bullards sandy loam, 0-7% slopes (8B). This soil type is a deep, well-drained soil located on upland marine terraces with the soil type is comprised of the Bullards soil series, an upland marine terrace soil. An impermeable soil layer does not exist within iew Area. As described in Section III.B.1(iv) the Review Area is well vegetated with canopy cover over the East Fork of Gross Creek Review Area comprised of an herbaceous layer and non-native grasses.	ed g
The	Rev	view Area is not located in a floodplain as recognized by the Federal Emergency Management Agency.	

⁹ To complete the analysis refer to the key in Section III.D.6 of the Instructional Guidebook.

¹⁰ Prior to asserting or declining CWA jurisdiction based solely on this category, Corps Districts will elevate the action to Corps and EPA HQ for review consistent with the process described in the Corps/EPA Memorandum Regarding CWA Act Jurisdiction Following Rapanos.

Wetland A lacks an interstate commerce connection. Wetland A is not used by interstate or foreign travelers for recreational purposes, and lacks habitat, resources, birds and wildlife of special significance which would attract interstate or foreign travelers. Wetland A lacks fish or shellfish which could be taken or sold in interstate or foreign commerce. Wetland A lacks the ability to be used for water withdrawal for industrial use and agriculture and silviculture which could be sold or used by interstate or foreign travelers.

Wetland A has been determined to be an isolated water.

					e potential basis of jurisdiction is the principal principal of the principal points of the principal points of the principal principal points of the	
□ I	Non-wetland waters (i.e., rive Lakes/ponds: acres.		linear feet	width (ft).		
	Other non-wetland waters: Wetlands:0.21 acres.	acres. List ty	pe of aquatic res	source: .		
a find	ling is required for jurisdiction	n (check all that a			et the "Significant Nexus" standard	d, where such
□ I	Non-wetland waters (i.e., rive Lakes/ponds: acres.		linear feet,	width (ft).		
	Other non-wetland waters: Wetlands: acres.	acres. List ty	pe of aquatic re	source: .		
SECTION	NIV: DATA SOURCES.					
and re	equested, appropriately refere Maps, plans, plots or plat subnormals, received by the Corps on Madata sheets prepared/submitted Office concurs with data sometime of Office does not concur with Data sheets prepared by the Corps navigable waters' study of Ward of	nce sources belowitted by or on bay 2, 2022. In do by or on behalf heets/delineation th data sheets/delorps: In Corps 1993 list cortals/24/docs/responding Atlas: In maps. In Cite scale & quantum armap(s). Cite name armap(s). Cite name armap(s): I lood Insurance Range (Nation e & Date): Goog e & Date): Site ple le no. and date of 20 under the Navional as waters of the say 1, 2000 ple say 1, 2000 ple say 1, 2000 ple say 2, 2000	w): ehalf of the app f of the applican report. ineation report. t of Navigable Regulatory/jurisdi quad name: te Soil Survey. Cate the Earth Pro aer hotographs take f response letter igable Waters P	chicant/consultant: We not/consultant. Riverways within the station/Navigable_US_ Citation: by Corps staff on Juctical Datum of 1929 in the corps staff on Juctical imagery retreived on by Corps staff on Juctical imagery retreived on the Corps staff on Juctical imagery retreived) by Corps staff on May 9, 2022. une 2, 2016. e Corps previously completed an A Corps determined Wetland B, D, an	, Bandon, 022 at nFSoXJ1Yw

B. ADDITIONAL COMMENTS TO SUPPORT JD: On June 1 2022, the Corps initiated coordination for the review of this AJD with the U.S. Environmental Protection Agency (EPA) Region 10 and Corps Headquarters (HQ). On June 7, 2022, the EPA concurred with our determination. On July 14, 2022, the Corps Portland District completed coordination of this jurisdictional determination with Corps HQ.