

Project Name/Location: **Columbia River Channel Improvement - RM 10+00 to 11+10, Flavel** Contract Number: W9127N-05-C-0012

**Columbia River Channel Improvement - RM 10+00 to 11+10, Flavel**

Date: 07/17/2005

Dylan D. contacted at 8:20.

Dredging	Sample Point	Depth (ft)	Time	X Coordinate	Y Coordinate	Turbidity (NTU)	DO (Mg/L)
<b>Load Number</b> 519	DR-1	21.1	6:50:07	7338555.64	938293.94	3.4	
<b>Tidal Stage</b> Flood	DR-2	20.5	6:52:54	7339007.94	938098.41	13.1	7.7
<b>Dredge State:</b> Overflow through skimmers only	DR-2R1	19.7	6:52:58	7339007.94	938098.41	17.3	7.8
<b>Weather:</b> Clear	DR-4	20.9	6:54:58	7339458.99	938274.06	15.5	
<b>Wind:</b> 0-5 kts	DR-4R1	20.5	6:55:05	7339458.99	938274.06	12.7	
<b>Seas:</b> 0-1'	DR-3	19.8	6:56:57	7338648.20	938484.71	2.9	
<b>Disposal location</b> Columbia River DWS							

Remarks:	Action Taken:
DR-2 exceeded 10% over background, taken in the plume.	Re-test DR-2R1 was taken.
DR-4 exceeded 5 NTU over background, taken in the plume.	Re-test DR-4R1 was taken.
DR-3 taken out of the plume on starboard side.	
	The dredge moved away from the area while continuing dredging.

Sample Point Key	All Tests Conducted With YSI 6600	Turbidity Compliance	DO Compliance
DR-1	Background - 100' Up Current, Within 600-Foot of Channel		
DR-2	100' Down Current	OR	OR, WA
DR-3	300' Radially from point of dredge (Port or Starboard)	WA	Not Required
DR-4	900' Down Current from point of dredging	WA	Not Required
Rx	Indicates a Re-Test where (x) is the Re-Test number for that particular point		

Project Name/Location:

Contract Number: W9127N-05-C-0012

**Columbia River Channel Improvement - RM 10+00 to 11+10, Flavel**

Date: 07/17/2005

Dylan D. contacted at 11:45.

Dredging	Sample Point	Depth (ft)	Time	X Coordinate	Y Coordinate	Turbidity (NTU)	DO (Mg/L)
<b>Load Number</b>	DR-1	19.6	11:04:59	7340195.06	938595.87	1.9	
520	DR-2	20.8	11:07:16	7340752.42	938286.44	22.1	7.6
<b>Tidal Stage</b>	DR-2R1	20.7	11:07:29	7340752.16	938280.37	26.3	7.9
Flood	DR-4	20.8	11:09:39	7341233.49	938272.27	20.7	
<b>Dredge State:</b>	DR-4R1	20.6	11:09:46	7341233.49	938272.27	20.9	
Overflow through	DR-3	19.1	11:11:38	7340255.27	938721.09	10.9	
skimmers only	DR-3R1	18.8	11:11:45	7340251.05	938721.27	7.2	
<b>Weather:</b>							
Clear							
<b>Wind:</b>							
0-5 kts							
<b>Seas:</b>							
0-1'							
<b>Disposal location</b>							
Columbia River DWS							

Remarks:	Action Taken:
DR-2 exceeded 10% over background, taken in the plume.	Re-test DR-2R1 was taken.
DR-4 exceeded 5 NTU over background, taken in the plume.	Re-test DR-4R1 was taken.
DR-3 exceeded 5 NTU over background, taken out of the plume, on starboard side.	Re-test DR-3R1 was taken.
	The dredge moved away from the area while continuing dredging.

Sample Point Key	All Tests Conducted With YSI 6600	Turbidity Compliance	DO Compliance
DR-1	Background - 100' Up Current, Within 600-Foot of Channel		
DR-2	100' Down Current	OR	OR, WA
DR-3	300' Radially from point of dredge (Port or Starboard)	WA	Not Required
DR-4	900' Down Current from point of dredging	WA	Not Required
Rx	Indicates a Re-Test where (x) is the Re-Test number for that particular point		

Project Name/Location:

Contract Number: W9127N-05-C-0012

**Columbia River Channel Improvement - RM 10+00 to 11+10, Flavel**

Date: 07/17/2005

Dylan D. contacted at 16:04.

Dredging	Sample Point	Depth (ft)	Time	X Coordinate	Y Coordinate	Turbidity (NTU)	DO (Mg/L)
<b>Load Number</b> 521	DR-1	21.0	15:27:31	7341493.96	938036.20	2.0	
<b>Tidal Stage</b> Ebb	DR-2	19.0	15:29:31	7341493.45	938224.82	17.3	7.3
<b>Dredge State:</b> Overflow through skimmers only	DR-2R1	20.8	15:29:40	7341489.23	938225.00	16.0	7.1
<b>Weather:</b> Clear	DR-4	20.7	15:31:52	7340894.54	938250.04	14.3	
<b>Wind:</b> 5-10 kts	DR-4R1	20.6	15:31:59	7340886.10	938250.40	11.0	
<b>Seas:</b> 1'-3'	DR-3	18.6	15:35:17	7342542.40	937748.75	14.9	
<b>Disposal location</b> Columbia River DWS	DR-3R1	17.3	15:35:26	7342542.40	937748.75	8.6	

Remarks:	Action Taken:
DR-2 exceeded 10% over background, taken in the plume.	Re-test DR-2R1 was taken.
DR-4 exceeded 5 NTU over background, taken in the plume.	Re-test DR-4R1 was taken.
DR-3 exceeded 5 NTU over background, taken out of the plume, on starboard side.	Re-test DR-3R1 was taken.
	The dredge moved away from the area while continuing dredging.

Sample Point Key	All Tests Conducted With YSI 6600	Turbidity Compliance	DO Compliance
DR-1	Background - 100' Up Current, Within 600-Foot of Channel		
DR-2	100' Down Current	OR	OR, WA
DR-3	300' Radially from point of dredge (Port or Starboard)	WA	Not Required
DR-4	900' Down Current from point of dredging	WA	Not Required
Rx	Indicates a Re-Test where (x) is the Re-Test number for that particular point		

Project Name/Location:

Contract Number: W9127N-05-C-0012

**Columbia River Channel Improvement - RM 10+00 to 11+10, Flavel**

Date: 07/17/2005

Dylan D. contacted at 20:20.

Dredging	Sample Point	Depth (ft)	Time	X Coordinate	Y Coordinate	Turbidity (NTU)	DO (Mg/L)
<b>Load Number</b> 522	DR-1	21.1	19:40:58	7346223.96	938993.55	2.4	
<b>Tidal Stage</b> Flood	DR-2	19.6	19:42:55	7346634.78	938714.76	24.0	7.8
<b>Dredge State:</b> Overflow through skimmers only	DR-2R1	19.8	19:43:10	7346680.67	938700.67	28.8	7.4
<b>Weather:</b> Clear	DR-4	20.4	19:45:01	7347216.40	938781.69	7.3	
<b>Wind:</b> 10-15 kts	DR-3	19.3	19:50:15	7345713.93	938820.23	13.8	
<b>Seas:</b> 1'-3'	DR-3R1	19.7	19:50:24	7345717.89	938813.98	7.5	
<b>Disposal location</b> Columbia River DWS							

Remarks:	Action Taken:
DR-2 exceeded 10% over background, taken in the plume.	Re-test DR-2R1 was taken.
DR-4 taken out of the plume.	
DR-3 exceeded 5 NTU over background, taken out of the plume, on starboard side.	Re-test DR-3R1 was taken. The dredge moved away from the area while continuing dredging.

Sample Point Key	All Tests Conducted With YSI 6600	Turbidity Compliance	DO Compliance
DR-1	Background - 100' Up Current, Within 600-Foot of Channel		
DR-2	100' Down Current	OR	OR, WA
DR-3	300' Radially from point of dredge (Port or Starboard)	WA	Not Required
DR-4	900' Down Current from point of dredging	WA	Not Required
Rx	Indicates a Re-Test where (x) is the Re-Test number for that particular point		